




# BIDI - 10

Max. Wheel RPM: 4000

Max. H.P. 7-1/2

Shaft Dia: 1-3/16"




# BIDI - 12

Max. Wheel RPM: 3400

Max. H.P. 7-1/2

Shaft Dia: 1-7/16"



Power rating (BHP) does not include transmission losses. Performance certified is for installation type B: Free inlet, Ducted outlet. Performance ratings do not include the effect of appurtenances (accessories).




# BIDI - 13

Max. Wheel RPM: 3000

Max. H.P. 7-1/2

Shaft Dia: 1-7/16"




# BIDI - 15

Max. Wheel RPM: 2700

Max. H.P. 10

Shaft Dia: 1-7/16"



Power rating (BHP) does not include transmission losses. Performance certified is for installation type B: Free inlet, Ducted outlet. Performance ratings do not include the effect of appurtenances (accessories).




# BIDI - 16

Max. Wheel RPM: 2500

Max. H.P. 15

Shaft Dia: 1-11/16"




# BIDI - 18

Max. Wheel RPM: 2200

Max. H.P. 15

Shaft Dia: 1-11/16"



Power rating (BHP) does not include transmission losses. Performance certified is for installation type B: Free inlet, Ducted outlet. Performance ratings do not include the effect of appurtenances (accessories).




# BIDI - 20

Max. Wheel RPM: 1950

Max. H.P. 15

Shaft Dia: 1-11/16"




# BIDI - 22

Max. Wheel RPM: 1750

Max. H.P. 20

Shaft Dia: 2-1/4"



Power rating (BHP) does not include transmission losses. Performance certified is for installation type B: Free inlet, Ducted outlet. Performance ratings do not include the effect of appurtenances (accessories).




# BIDI - 24

Max. Wheel RPM: 1600

Max. H.P. 20

Shaft Dia: 2-1/4"




# BIDI - 27

Max. Wheel RPM: 1450

Max. H.P. 25

Shaft Dia: 2-1/4"



Power rating (BHP) does not include transmission losses. Performance certified is for installation type B: Free inlet, Ducted outlet. Performance ratings do not include the effect of appurtenances (accessories).