

CA - INDUSTRIAL GRADE CIRCULATING FANS

NOTE: CA FAN HEADS REPLACE CFH FAN HEADS

Canarm LFI's CA circulating fans economically provide relief from summer heat by creating a gentle air movement. They effectively cool large areas in factories, stores, restaurants and other public places. These fans have a low RPM motor which allows them to operate quietly.

The Floor Pedestal type fans come with a sturdy base and are supported by an adjustable tubular steel post which provides maximum stability. The Wall Mount fans are anchored with a sturdy wall bracket. There is also an optional ceiling mount.

On all fan models, the fan assembly can be tilted on a swivel bracket to direct air stream upwards or downwards. Available with oscillating motor on the pedestal and wall models.

FEATURES

- Rugged, high performance model.
- Available in 24" & 30" sizes.
- 1/4 HP, 3 speed, totally enclosed ball bearing motor with thermal overload protection.
- Fan motor RPM - 1100/950/850.
- Available with oscillating motor on the pedestal and wall models.
- Heavy gauge aluminum, well balanced fan blades.
- Air stream adjustable in all directions.
- Complete with 10', 120V grounded cord set.
- Attractive powder coated front and rear guards, meet OSHA standards.



PERFORMANCE SPECIFICATIONS

MODEL	FAN SIZE	DESCRIPTION	CFM	CFM / W	VOLT	AMPS	SHIPPING WEIGHT (LBS)
FAN HEAD ONLY							
CA24-C	24"	3 SPEED	8145 / 6795 / 5793	32.7 / 31.9 / 28.1	120	2.4	40
CA24OSC-C		3 SPEED OSCILLATING	8145 / 6795 / 5793	32.7 / 31.9 / 28.1	120	2.4	40
CA30-C	30"	3 SPEED	11100 / 9068 / 7658	44.0 / 42.9 / 37.1	120	2.5	50
CA30OSC-C		3 SPEED OSCILLATING	11100 / 9068 / 7658	44.0 / 42.9 / 37.1	120	2.5	50

QUICK REFERENCE

Use this table to make sure you order the correct fan replacement parts.




FAN HEAD MOUNTING ACCESSORIES SHOWN BELOW.

OLD MODEL	REPLACED WITH
PEDESTAL FANS - OSCILLATING	
CA24POSC-C	CA24OSC-C + CFKPB
CA30POSC-C	CA30OSC-C + CFKPB
PEDESTAL FANS - NON OSCILLATING	
CA24P-C	CA24-C + CFKPB
CA30P-C	CA30-C + CFKPB

OLD MODEL	REPLACED WITH
WALL FANS - OSCILLATING	
CA24WOSC-C	CA24OSC-C + CFWB
CA30WOSC-C	CA30OSC-C + CFWB
WALL FANS - NON OSCILLATING	
CA24W-C	CA24-C + CFWB
CA30W-C	CA30-C + CFWB

VELOCITY MAPPING CHARTS

These charts indicate the air distribution patterns of the CA fans. They are a graphic illustration of air velocity in feet per minute.



MOUNTING ACCESSORIES

MODEL	DESCRIPTION	WEIGHT (LBS)
CFKPB	KNOCK DOWN PEDESTAL BASE	36
CFWB	WALL BRACKET	6
CFM	CEILING MOUNT (NON OSCILLATING FANS ONLY)	9