


Model GT9-5DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model GT9-7DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model GT9-8DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model GT9DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model GT10-5DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model GT10-7DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model GT10-8DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model GT10-9DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model GT10DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model GT12-7DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model GT12-9DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model GT12-10DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G7-5DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519) 582-0581
www.delhi-industries.com




Model G7DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G9-5DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G9-7DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G9-8DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G9DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G10-5DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G10-7DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G10-8DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G10-9DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519) 582-0581
www.delhi-industries.com




Model G10DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G12-7DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G12-9DD

Bore 1/2"

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com




Model G12-10DD

Bore 1/2"

Performance curves are based on tests made in accordance with AMCA 210-99. Installation Type B - Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519) 582-0581
www.delhi-industries.com




Performance shown is for installation Type B: Free inlet, Ducted outlet.

Speed rpm shown is nominal. Performance is based on actual speed of test.


Performance ratings do not include the effects of appurtenances (accessories).

G9-7DD, 1/3 HP, 115V, 1075 RPM




Performance shown is for installation Type B: Free inlet, Ducted outlet.
Speed rpm shown is nominal. Performance is based on actual speed of test.
Performance ratings do not include the effects of appurtenances (accessories).

G9-7DD, 1/2 HP, 115V, 1075 RPM




Performance shown is for installation Type B: Free inlet, Ducted outlet.
Speed rpm shown is nominal. Performance is based on actual speed of test.
Performance ratings do not include the effects of appurtenances (accessories).

G9-DD, 1/3 HP, 115V, 1075 RPM




Performance shown is for installation Type B: Free inlet, Ducted outlet.
Speed rpm shown is nominal. Performance is based on actual speed of test.
Performance ratings do not include the effects of appurtenances (accessories).


G9-DD, 1/2 HP, 115V, 1075 RPM



Performance shown is for installation Type B: Free inlet, Ducted outlet.
Speed rpm shown is nominal. Performance is based on actual speed of test.
Performance ratings do not include the effects of appurtenances (accessories).




Performance shown is for installation Type B: Free inlet, Ducted outlet.
Speed rpm shown is nominal. Performance is based on actual speed of test.
Performance ratings do not include the effects of appurtenances (accessories).




Performance shown is for installation Type B: Free inlet, Ducted outlet.
Speed rpm shown is nominal. Performance is based on actual speed of test.
Performance ratings do not include the effects of appurtenances (accessories).

G10DD, 1/2 HP, 115V, 1075 RPM




Performance shown is for installation Type B: Free inlet, Ducted outlet.
Speed rpm shown is nominal. Performance is based on actual speed of test.
Performance ratings do not include the effects of appurtenances (accessories).




Performance shown is for installation Type B: Free inlet, Ducted outlet.
Speed rpm shown is nominal. Performance is based on actual speed of test.
Performance ratings do not include the effects of appurtenances (accessories).

G12-9DD, 3/4 HP, 115V, 1075 RPM



Performance shown is for installation Type B: Free inlet, Ducted outlet.
Speed rpm shown is nominal. Performance is based on actual speed of test.
Performance ratings do not include the effects of appurtenances (accessories).

G12-10DD, 3/4 HP, 115V, 1075 RPM



Model GT9-5

Max Wheel RPM 4200

Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Delhi, Ontario

Phone: (519) 582-2440

Fax (519)582-0581

www.delhi-industries.com



Model GT9-7

Max Wheel RPM 3600

Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Delhi, Ontario

Phone: (519) 582-2440

Fax (519)582-0581

www.delhi-industries.com



Model GT9-8

Max Wheel RPM 3000

Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Delhi, Ontario

Phone: (519) 582-2440

Fax (519)582-0581

www.delhi-industries.com



Model GT-9

Max Wheel RPM 2800

Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Delhi, Ontario

Phone: (519) 582-2440

Fax (519)582-0581

www.delhi-industries.com



Model GT10-5

Max Wheel RPM 4200

Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Delhi, Ontario

Phone: (519) 582-2440

Fax (519) 582-0581

www.delhi-industries.com



Model GT10-7

Max Wheel RPM 3600

Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Delhi, Ontario

Phone: (519) 582-2440

Fax (519) 582-0581

www.delhi-industries.com



Model GT10-8


Max Wheel RPM 3000

Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519)582-0581
www.delhi-industries.com



Model GT10-9

Max Wheel RPM 2800

Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Delhi, Ontario

Phone: (519) 582-2440

Fax (519) 582-0581

www.delhi-industries.com



Model GT10

Max Wheel RPM 2500

Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Delhi, Ontario

Phone: (519) 582-2440

Fax (519)582-0581

www.delhi-industries.com



Model GT12-7

Max Wheel RPM 3600

Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Delhi, Ontario

Phone: (519) 582-2440

Fax (519)582-0581

www.delhi-industries.com



Model GT12-9

Max Wheel RPM 2800


Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).



Delhi, Ontario
Phone: (519) 582-2440
Fax (519) 582-0581
www.delhi-industries.com



Model GT12-10

Max. Wheel RPM 2100

Shaft Diameter, In. See Component Limits

Max. HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Delhi, Ontario

Phone: (519) 582-2440

Fax (519)582-0581

www.delhi-industries.com



Model GT12

Max Wheel RPM 2140

Shaft Diameter, In. See Component Limits

Max HP See Component Limits

Performance shown is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

DELHI INDUSTRIES INC.
Delhi, Ontario
Phone: (519) 582-2440
Fax (519) 582-0581
www.delhi-industries.com

